



# Highveld OFFICE SUPPLIES

Tel: 017 811 2615  
www.ermelostationery.co.za  
e-mail: [highveld@ermelostationery.co.za](mailto:highveld@ermelostationery.co.za)  
39 Kerk St, Ermelo

# Office Chairs





Manufactured  
in South Africa

Genesis <b>2</b>	Paula <b>25</b>
Exodus <b>3</b>	Yaris <b>26</b>
Que Netted <b>4</b>	Econo <b>27</b>
Winston <b>5</b>	Britney <b>28</b>
Jasmin <b>6</b>	Utility <b>29</b>
Zelda <b>7</b>	Amy Stacker <b>30</b>
Holly Wooden <b>8</b>	Willi Stacker <b>30</b>
Xenon <b>10</b>	Rick Stacker <b>31</b>
Opal <b>11</b>	Max Stacker <b>31</b>
Simone <b>12</b>	Operators <b>33</b>
Lisa <b>13</b>	Draughtsman <b>34</b>
Iris <b>14</b>	Econo Typist <b>35</b>
Nikki <b>15</b>	Industrial <b>37</b>
Fiona <b>16</b>	Dental <b>38</b>
Holly <b>17</b>	Barstool <b>39</b>
Diva <b>18</b>	Reception <b>42</b>
Heavy Duty <b>19</b>	Auditorium <b>43</b>
Rhona <b>20</b>	Bonny <b>44</b>
Tammy <b>21</b>	Bonny II <b>45</b>
Venus <b>22</b>	Training Furniture <b>47</b>
Milly <b>24</b>	School Furniture <b>50</b>

# GENESIS RANGE



GC6Y350AB



GC8Y6AB



GC2Y350CRS



GC6Y950AB



GC8Y350AB



GC2Y950CRS



GC2Y6CRS



GC5Y8

## Standard



Nylon Spide Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y75

V300

V350

Y400



Y500

Y600

Y800

Y900



Y950



700 Aluminium Base



Chrome Sleigh Frame

## Chair Movement



(Optional)

## Seat

- Pressed plywood
- Moulded foam
- External saddle stitching

## Back

- 19mm Round tubing with 1.6mm wall thickness
- 60x8mm connecting plate
- Moulded foam, concealing frame work
- External saddle stitching

	GC6	GC5	GC2
Height	1150mm	1030mm	1000mm
Width	615mm	615mm	615mm
Depth	650mm	650mm	620mm
Weight	25kg	23kg	19kg
Seat Low	440mm	440mm	500mm
Seat High	540mm	540mm	
Max Weight	120kg	120kg	120kg

# EXODUS RANGE



## Standard



Nylon Spide Base



Standard Sleigh Frame

## Additional Arm & Base Options



700 Aluminium Base Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- Moulded foam
- External saddle stitching

## Back

- 19mm Round tubing with 1.6mm wall thickness
- 100x8mm bottom support brace
- Netted slip cover, concealing frame work

	EC6	EC5	EC2
Height	1080mm	990mm	1010mm
Width	640mm	640mm	640mm
Depth	650mm	650mm	630mm
Weight	21kg	19kg	17kg
Seat Low	440mm	440mm	500mm
Seat High	540mm	540mm	
Max Weight	120kg	120kg	120kg

# QUE NETTED RANGE



## Standard



Nylon Spide Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y75

Y100

Y400

Y500



Y600

Y800



700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



(Optional)

## Seat

- Pressed plywood
- Moulded foam
- External saddle stitching

## Back

- Nylon frame with netted insert
- Fixed lumbar support
- 5 position height adjustable back rest
- Adjustable headrest



	QC6	QC5	QC2	QC9
Height	1140mm	930mm	1010mm	1190mm
Width	640mm	640mm	640mm	640mm
Depth	610mm	610mm	620mm	640mm
Weight	19kg	18kg	17kg	17kg
Seat Low	440mm	440mm	500mm	690mm
Seat High	540mm	540mm		935 mm
Max Weight	120kg	120kg	120kg	120kg

# QUE NETTED RANGE

# WINSTON RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



CB Chrome Base    700 Aluminium Base    Chrome Sleigh Frame

## Chair Movement



### Seat

- Pressed plywood
- Laminated VP70 high density and VC64 chip foam

### Back

- Nylon frame with netted insert
- Adjustable lumbar support - upholstered
- 9 position height adjustable back rest with coat hanger

	WC6	WC5	WC2
Height	1220mm	1010mm	1040mm
Width	640mm	640mm	640mm
Depth	610mm	610mm	620mm
Weight	18kg	17kg	16kg
Seat Low	480mm	480mm	520mm
Seat High	570mm	570mm	
Max Weight	120kg	120kg	120kg

# JASMIN RANGE



JC6Y4



JC6Y3



JC2Y4



JC5Y6AB



JC5Y4



JC2Y3



JC2CRS



JC5Y3

## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y300

Y400

Y500

Y600



Y800

CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam
- Roughed upholstered

### Back

- Pressed plywood
- VP30 med density foam
- Upholstered pressed plywood back cover
- Roughed upholstered

	JC6	JC5	JC2
Height	1100mm	1000mm	1020mm
Width	610mm	610mm	610mm
Depth	590mm	590mm	680mm
Weight	21kg	20kg	18kg
Seat Low	480mm	480mm	520mm
Seat High	570mm	570mm	
Max Weight	120kg	120kg	120kg

# ZELDA RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam
- Roughed upholstered

## Back

- Pressed plywood
- VP30 med density foam
- Upholstered pressed plywood back cover
- Roughed upholstered

	ZC6	ZC5	ZC2
Height	1090mm	1000mm	1020mm
Width	600mm	600mm	600mm
Depth	600mm	600mm	670mm
Weight	20kg	19kg	17kg
Seat Low	480mm	480mm	520mm
Seat High	570mm	570mm	
Max Weight	120kg	120kg	120kg



# HOLLY WOODEN RANGE



## Standard



Oak Standard Base



Oak Laminated 4 Legged Frame



Oak 4 Legged Boomerang Frame



Oak Laminated Sleigh Base Frame

## Additional Arm & Base Options



Cherry Boomerang Arm



Oak Boomerang Arm



Cherry Base



Cherry Laminated 4 Legged Frame



Cherry 4 Legged Boomerang Frame



Cherry Laminated Sleigh Base Frame

## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

### Back

- Pressed plywood
- VP30 med density foam

	HWC6B	HWC5	HWC3S	HWC3/B
Height	1120mm	970mm	930mm	940mm
Width	600mm	600mm	650mm	650mm
Depth	690mm	630mm	710mm	700mm
Weight	20kg	18kg	13kg	13kg
Seat Low	460mm	460mm	500mm	500mm
Seat High	600mm	600mm		
Max Weight	120kg	120kg	120kg	120kg

# XENON RANGE



XC5



XC6Y5



XC2



XC9Y4



XC2



XC6



XC2Y5CRS



XC6Y4

## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



V400

V500

V600

V800



CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Nylon frame with netted insert
- Height adjustable, 4 position - adjusts lumbar support
- Height adjustable headrest

	XC9	XC6	XC5	XC2
Height	1210mm	1150mm	1000mm	1030mm
Width	640mm	640mm	640mm	640mm
Depth	640mm	670mm	610mm	620mm
Weight	16kg	18kg	17kg	16kg
Seat Low	690mm	460mm	460mm	520mm
Seat High	935mm	560mm	560mm	
Max Weight	120kg	120kg	120kg	120kg

# OPAL RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50 Y75 Y100 Y200



Y300 Y400 Y500 Y600



Y800 CB Chrome Base 700 Aluminium Base Chrome Sleigh Frame

## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

### Back

- Pressed plywood
- VP30 med density foam

	OC6	OC5	OC2
Height	1150mm	1070mm	1100mm
Width	580mm	580mm	580mm
Depth	630mm	630mm	710mm
Weight	20kg	18kg	16kg
Seat Low	480mm	480mm	520mm
Seat High	570mm	570mm	
Max Weight	120kg	120kg	120kg

# SIMONE RANGE



**Chair Movement**



- |   |  |
|---|--|
| <b>Seat</b>   | <b>Back</b>                              |
| ■ Pressed plywood                                     | ■ Pressed plywood                        |
| ■ Laminated VC64 chip foam and VP70 high density foam | ■ VP30 med density foam                  |
|   | ■ Upholstered pressed plywood back cover |

	SC6	SC5	SC2
Height	1100mm	1000mm	1020mm
Width	610mm	610mm	610mm
Depth	590mm	590mm	680mm
Weight	21kg	20kg	18kg
Seat Low	480mm	480mm	520mm
Seat High	570mm	570mm	520mm
Max Weight	120kg	120kg	120kg

# LISA RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50 Y75 Y100 Y200



Y400 Y500 Y600 Y800



CB Chrome Base 700 Aluminium Base Chrome Sleigh Frame

## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

### Back

- 25mm Round tubing frame
- 60 x 8mm bottom support brace
- Netted slip cover, concealing frame work



	LC6	LC5	LC2
Height	1060mm	970mm	990mm
Width	610mm	610mm	610mm
Depth	590mm	590mm	580mm
Weight	20kg	19kg	18kg
Seat Low	480mm	480mm	520mm
Seat High	570mm	570mm	
Max Weight	120kg	120kg	120kg

# IRIS RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y300

Y400

Y500

Y600



Y800

CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

### Back

- Pressed plywood
- VP30 med density foam

	IC6	IC5	IC2
Height	1130mm	1060mm	1070mm
Width	590mm	590mm	610mm
Depth	630mm	610mm	710mm
Weight	20kg	18kg	16kg
Seat Low	480mm	480mm	520mm
Seat High	570mm	570mm	
Max Weight	120kg	120kg	120kg

# NIKKI RANGE

## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



V50 V75 V100 V200



V300 V400 V500 V600



V800 CB Chrome Base 700 Aluminium Base Chrome Sleigh Frame

## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

### Back

- Pressed plywood
- VP30 med density foam

	NC6	NC5	NC2
Height	1150mm	1060mm	1070mm
Width	630mm	590mm	610mm
Depth	630mm	630mm	710mm
Weight	20kg	18kg	16kg
Seat Low	480mm	480mm	520mm
Seat High	570mm	570mm	
Max Weight	120kg	120kg	120kg

# FIONA RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y300

Y400

Y500

Y600



Y800

CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam
- Roughed upholstered

### Back

- Pressed plywood
- VP30 med density foam
- Upholstered pressed plywood back cover
- Roughed upholstered

	FC6	FC5	FC2
Height	1090mm	1000mm	1020mm
Width	600mm	600mm	600mm
Depth	600mm	600mm	670mm
Weight	20kg	19kg	17kg
Seat Low	480mm	480mm	520mm
Seat High	570mm	570mm	
Max Weight	120kg	120kg	120kg



# HOLLY RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam
- Single laminated plywood shell

### Back

- Pressed plywood
- VP30 med density foam

	HC6	HC5	HC2
Height	1120mm	980mm	1070mm
Width	590mm	590mm	590mm
Depth	690mm	630mm	710mm
Weight	20kg	18kg	16kg
Seat Low	470mm	470mm	510mm
Seat High	560mm	560mm	
Max Weight	120kg	120kg	120kg

# DIVA RANGE



DC5Y6CB



DC6Y3



DC2



DC6Y3



DC2Y6CRS



DC5Y3



DC2Y4



DC6Y6CB

## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y300

Y400

Y500

Y600



Y800

CB-Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam
- Upholstered pressed plywood back cover

	DC6	DC5	DC2
Height	1090mm	1000mm	1020mm
Width	600mm	600mm	600mm
Depth	600mm	600mm	670mm
Weight	20kg	19kg	17kg
Seat Low	480mm	480mm	520mm
Seat High	570mm	570mm	
Max Weight	120kg	120kg	120kg

# HEAVY DUTY RANGE



170KGIKG



170KGIKGCA

### Standard



700 Aluminium Base  
(4 x 4 Castors)



Standard Black Arm

### Additional Arm & Base Options



Chrome Arm

### Chair Movement



### Seat

- Laminated VC64 chip foam and VP70 high density foam
- Reinforced pressed plywood – 20 to 25mm thick

### Back

- VP30 med density foam
- Reinforced pressed plywood – 20 to 25mm thick



170KGIKG



170KGIKGCA



170KGIKG



170KGIKGCA

	170KGIKG
Height	1260mm
Width	680mm
Depth	700mm
Weight	23kg
Seat Low	510mm
Seat High	600mm
Max Weight	170kg

# RHONA RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame

## Additional Arm & Base Options



Y50

Y75

Y100

Y200



Y300

Y400

Y500

Y600



Y800

CB Chrome Base

700 Aluminium Base

Chrome Sleigh Frame

## Chair Movement



## Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam

	RP6	RP5	RP2
Height	1170mm	970mm	1010mm
Width	620mm	620mm	600mm
Depth	630mm	630mm	680mm
Weight	16kg	15kg	14kg
Seat Low	470mm	470mm	520mm
Seat High	560mm	560mm	
Max Weight	120kg	120kg	120kg

# TAMMY RANGE



## Standard



## Additional Arm & Base Options



## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

### Back

- Pressed plywood
- VP30 med density foam

	TC6/B	TC5/B	TC3S	TC3/B
Height	1040mm	930mm	910mm	820mm
Width	610mm	610mm	640mm	640mm
Depth	700mm	690mm	750mm	740mm
Weight	16kg	14kg	12kg	11kg
Seat Low	460mm	460mm	500mm	500mm
Seat High	600mm	600mm		
Max Weight	120kg	120kg	120kg	120kg

# VENUS RANGE



### Standard



Standard Nylon Base

Standard Sleigh Frame

### Additional Arm & Base Options



### Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

### Back

- Pressed plywood
- VP30 med density foam

	VC6	VC5	VC2
Height	1080mm	980mm	980mm
Width	590mm	590mm	590mm
Depth	700mm	690mm	710mm
Weight	16kg	15kg	14kg
Seat Low	480mm	480mm	520mm
Seat High	570mm	570mm	
Max Weight	120kg	120kg	120kg

# MILLY RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame



Standard Arm

## Additional Arm & Base Options



CB Chrome Base Chrome Sleigh Frame

## Chair Movement



### Seat

- Pressed plywood
- VP70 high density foam

### Back

- Pressed plywood
- VP30 med density foam

	MC6	MC5	MC3S
Height	1100mm	930mm	970mm
Width	580mm	580mm	580mm
Depth	700mm	670mm	660mm
Weight	15kg	14kg	12kg
Seat Low	480mm	480mm	520mm
Seat High	570mm	570mm	
Max Weight	120kg	120kg	120kg



# PAULA RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame



Standard Arm

## Additional Arm & Base Options



Loop Arm



CB Chrome Base



Chrome Sleigh Frame

## Chair Movement



### Seat

- Pressed plywood
- VP70 high density foam

### Back

- Pressed plywood
- VP30 mod density foam

	PC6	PC5	PC3	PC2
Height	1080mm	920mm	970mm	970mm
Width	570mm	570mm	570mm	540mm
Depth	680mm	650mm	640mm	640mm
Weight	13kg	12kg	11kg	9kg
Seat Low	480mm	480mm	510mm	510mm
Seat High	570mm	570mm		
Max Weight	120kg	120kg	120kg	120kg





# YARIS RANGE



## Standard



Standard Nylon Base



Standard Arm

## Additional Arm & Base Options



CB Chrome Base

## Chair Movement



## Seat

- 16mm Chipboard
- VP70 high density foam

## Back

- 22.23mm Square tubing. Cold rolled steel with 1.2mm wall thickness
- Netted slip cover, concealing frame

	YC6	YC3	YC2
Height	1100mm	1020mm	1020mm
Width	550mm	550mm	550mm
Depth	700mm	640mm	640mm
Weight	12kg	8.5kg	7.5kg
Seat Low	510mm	490mm	490mm
Seat High	600mm		
Max Weight	120kg	120kg	120kg



# ECONO RANGE



## Standard



Standard Nylon Base



Standard Arm

## Additional Arm & Base Options



CB Chrome Base

## Chair Movement



### Seat

- 16mm Chipboard
- VP70 high density foam

### Back

- 16mm Chipboard
- VP30 mod density foam

	C6	C5	C3/C3S	C2/C2S
Height	1130mm	840mm	860mm	860mm
Width	570mm	570mm	560mm	550mm
Depth	710mm	620mm	640mm	640mm
Weight	15kg	13kg	9kg/11kg	8kg/10kg
Seat Low	490mm	490mm	480mm	480mm
Seat High	580mm	580mm		
Max Weight	120kg	120kg	120kg	120kg



# BRITNEY RANGE



## Standard



Standard Nylon Base



Standard Sleigh Frame



Standard Arm

## Additional Arm & Base Options



CB Chrome Base



Chrome Sleigh Frame

## Chair Movement



### Seat

- Pressed plywood
- VP70 high density foam

### Back

- Nylon frame with netted insert

	BC5	BC3	BC9
Height	910mm	900mm	1130mm
Width	540mm	540mm	540mm
Depth	680mm	680mm	690mm
Weight	11kg	11kg	14kg
Seat Low	480mm	510mm	680mm
Seat High	570mm		930mm
Max Weight	120kg	120kg	120kg



# UTILITY RANGE



### Standard



Standard Nylon Base



Standard Arm

### Additional Arm & Base Options



CB Chrome Base

### Chair Movement



### Seat

- 16mm Chipboard
- VP70 high density foam

### Back

- Pressed plywood
- VP30 med density foam



	UC5A	UC5	UC3	UC2
Height	820mm	820mm	830mm	830mm
Width	560mm	560mm	560mm	540mm
Depth	630mm	630mm	570mm	570mm
Weight	13kg	12kg	8kg	7kg
Seat Low	470mm	470mm	480mm	480mm
Seat High	560mm	560mm		
Max Weight	120kg	120kg	120kg	120kg

## AMY STACKER



AC2F



AC1F



AC3

Seat	Back
■ 16mm Chipboard	■ 16mm Chipboard
■ High Density Foam (AC1F)	■ Med Density Foam
■ VC64 Chipfoam Foam (AC2F)	

	AC1F	AC2F
Height	905mm	915mm
Width	460mm	460mm
Depth	640mm	640mm
Weight	7.5kg	8kg
Seat High	460mm	460mm
Max Weight	120kg	120kg

## WILLI STACKER



W1T



W1



W1

Seat	Back
■ Injection moulded Polypropylene	■ Injection moulded Polypropylene

	W1	W1T
Height	870mm	870mm
Width	470mm	530mm
Depth	620mm	650mm
Weight	5kg	7kg
Seat High	480mm	480mm
Max Weight	120kg	120kg

# RICK STACKER



- |                  |                         |
|------------------|-------------------------|
| <b>Seat</b>      | <b>Back</b>             |
| ■ 16mm Chipboard | ■ 16mm Chipboard        |
| ■ V64 Chip Foam  | ■ VP30 Med Density Foam |

	C1	C1H	C1S	C1A	C1T
Height	840mm	890mm	840mm	840mm	840mm
Width	460mm	460mm	460mm	610mm	460mm
Depth	550mm	590mm	610mm	550mm	550mm
Weight	6kg	7kg	8kg	8kg	9kg
Seat High	490mm	490mm	490mm	490mm	490mm
Max Weight	120kg	120kg	120kg	120kg	120kg

# MAX STACKER



- |                          |                         |
|--------------------------|-------------------------|
| <b>Seat</b>              | <b>Back</b>             |
| ■ 16mm Chipboard         | ■ 16mm Chipboard        |
| ■ VP70 high density foam | ■ VP30 med density foam |

	M1
Height	825mm
Width	450mm
Depth	560mm
Weight	6kg
Seat High	490mm
Max Weight	120kg

# OPERATORS RANGE



S6000Y4



S3000Y75



S4000



S3000



S5000Y5CB



S4000Y1



S5000



S6000

## Standard



Standard Nylon Base

## Additional Arm & Base Options



Y50

Y75

Y100

Y400



Y500

Y600

Y800



CB Chrome Base

## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

### Back

- Pressed plywood
- VP30 med density foam
- Back rest is height adjustable

	S3000	S4000	S5000	S6000
Height	950mm	1020mm	930mm	1050mm
Width	500mm	500mm	500mm	500mm
Depth	560mm	560mm	600mm	620mm
Weight	10kg	10.5kg	11kg	12.5kg
Seat Low	485mm	485mm	485mm	485mm
Seat High	570mm	570mm	570mm	570mm
Max Weight	120kg	120kg	120kg	120kg

# DRAUGHTSMAN RANGE



S5009Y5CB



S3009Y1



S4009



S3009Y75NF



S5009



S4009Y1



S6009Y4



S3009NF

## Standard



Standard Nylon Base



Standard Steed Footring

## Additional Arm & Base Options



Y50

Y75

Y100

Y400



Y500

Y600

Y800



Freestanding Footring

Chrome Freestanding Footring

Chrome Footring

Nylon Footring

## Chair Movement



### Seat

- Pressed plywood
- Laminated VC64 chip foam and VP70 high density foam

### Back

- Pressed plywood
- VP30 med density foam
- Back rest is height adjustable

	S3009	S4009	S5009	S6009
Height	1170mm	1230mm	1140mm	1270mm
Width	500mm	500mm	500mm	500mm
Depth	560mm	560mm	600mm	620mm
Weight	13kg	13.5kg	14kg	15.5kg
Seat Low	690mm	690mm	690mm	690mm
Seat High	935mm	935mm	935mm	935mm
Max Weight	120kg	120kg	120kg	120kg



# ECONO TYPIST RANGE



## Standard



Standard Nylon Base

## Additional Arm & Base Options



Y400



CB Chrome Base

## Chair Movement



## Seat

- Pressed plywood
- VP70 high density foam

## Back

- Pressed plywood
- VP30 med density foam
- Not Adjustable

	S500	S509	S600	S609	S750	S759
Height	800mm	980mm	900mm	1070mm	930mm	1140mm
Width	420mm	420mm	420mm	420mm	480mm	480mm
Depth	490mm	490mm	500mm	500mm	570mm	570mm
Weight	7.5kg	10kg	8kg	10.5kg	9.5kg	12kg
Seat Low	495mm	660mm	495mm	660mm	485mm	680mm
Seat High	635mm	910mm	635mm	910mm	570mm	930mm
Max Weight	120kg	120kg	120kg	120kg	120kg	120kg

# INDUSTRIAL RANGE



### Standard



Standard Nylon Base



Standard Steed Footring

### Additional Arm & Base Options



Y50

Y75

Y100

V400



CB Chrome Base



Freestanding Footring

Chrome Freestanding Footring

Chrome Footring

Nylon Footring

### Chair Movement



### Seat

■ Solid polyurethane moulded onto pressed plywood

### Back

■ Solid polyurethane moulded onto pressed plywood



WC9SYC



WC1



PUB9



WC9SYCY1FSFR-C



WC1SYC

	WC1	WC9	WC9-FSFR
Height	860mm	1020mm	1070mm
Width	490mm	490mm	500mm
Depth	600mm	600mm	500mm
Weight	10kg	13kg	13kg
Seat Low	470mm	640mm	700mm
Seat High	610mm	890mm	950mm
Max Weight	120kg	120kg	120kg

# DENTAL RANGE

## Standard



Standard Nylon Base



Standard Steed Footring

## Additional Arm & Base Options



CB Chrome Base



Freestanding Footring



Chrome Freestanding Footring



Chrome Footring



Nylon Footring



3050



3050B



3059

## Chair Movement



3059BFSFR-C



3059NF



3059BFSFR



PROC



3059FSFR

## Seat

- 16mm Chipboard
- Chip foam, covered with 10mm sheet foam

## Back

- Pressed plywood
- Medium Density Foam

	3050	3050B	3059	3059B	PROC
Height	480mm	845mm	650mm	1015mm	480mm
Width	330mm	400mm	490mm	490mm	470mm
Depth	330mm	370mm	490mm	530mm	760mm
Weight	5.5kg	6.5kg	8kg	9kg	10kg
Seat Low	480mm	480mm	650mm	650mm	480mm
Seat High	630mm	630mm	900mm	900mm	610 - 690mm
Max Weight	120kg	120kg	120kg	120kg	120kg

# BARSTOOL RANGE



BS



B3R



B

### Seat (B3R)

- 16mm Chipboard
- Moulded Foam

### Seat (B & BS)

- 16mm Chipboard
- Chip foam, covered with 10mm sheet foam

	B500	B600	B700	B800
Height	520mm	620mm	720mm	820mm
Width	320mm	320mm	320mm	380mm
Depth	320mm	320mm	320mm	380mm
Weight	4kg	4kg	4.5kg	5kg
Max Weight	120kg	120kg	120kg	120kg

	B3R500	B3R600	B3R700	B3R800
Height	550mm	650mm	750mm	850mm
Width	490mm	490mm	490mm	490mm
Depth	490mm	490mm	490mm	490mm
Weight	5kg	5.5kg	6kg	6.5kg
Max Weight	120kg	120kg	120kg	120kg

	BS500	BS600	BS700	BS800
Height	520mm	620mm	720mm	820mm
Width	410mm	410mm	410mm	410mm
Depth	410mm	410mm	410mm	410mm
Weight	5kg	5.5kg	5.5kg	6kg
Max Weight	120kg	120kg	120kg	120kg



B



B3R



BS



B3R



BS

# BARSTOOL RANGE



BSB



B3RB



BB



BB



B3RB



BB



BSB



B3RB

## Seat (B3RB)

- 16mm Chipboard
- Moulded Foam

## Back (B3RB)

- Pressed Plywood
- VP30 med density foam

## Seat (BB & BSB)

- 16mm Chipboard
- Chip foam, covered with 10mm sheet foam

## Back (BB & BSB)

- 16mm Chipboard
- VP30 med density foam

	BB500	BB600	BB700	BB800
Height	820mm	920mm	1020mm	1120mm
Width	320mm	320mm	320mm	380mm
Depth	430mm	430mm	430mm	480mm
Weight	5kg	5kg	5.5kg	6kg
Max Weight	120kg	120kg	120kg	120kg

	B3RB500	B3RB600	B3RB700	B3RB800
Height	790mm	890mm	990mm	1090mm
Width	490mm	490mm	490mm	490mm
Depth	540mm	540mm	540mm	540mm
Weight	7kg	7.5kg	8kg	8.5kg
Max Weight	120kg	120kg	120kg	120kg

	BSB500	BSB600	BSB700	BSB800
Height	820mm	920mm	1020mm	1120mm
Width	410mm	410mm	410mm	410mm
Depth	480mm	480mm	480mm	480mm
Weight	6kg	6.5kg	6.5kg	7kg
Max Weight	120kg	120kg	120kg	120kg

# RECEPTION RANGE



RBTU13S3

### Seat (RBTU13)

- Moulded Polypropylene
- Available in Black, Blue or Burgandy
- Standard Tip-Up Action

### Back (RBTU13)

- Moulded Polypropylene
- Available in Black, Blue or Burgandy



RBLS3

### Seat (RBL)

- Pressed plywood
- VP70 high density foam
- Tip-Up Action Optional

### Back (RBL)

- Pressed Plywood
- VP30 med density foam



RBTU13S3 Tip Up

	RBTU13-S1	RBTU13-S2	RBTU13-S3	RBTU13-S4	RBTU13-S5
Height	960mm	960mm	960mm	960mm	960mm
Width	525mm	1055mm	1585mm	2115mm	2645mm
Depth	650mm	650mm	650mm	650mm	650mm
Weight	18kg	21kg	24kg	28kg	33kg
Seat Height	480mm	480mm	480mm	480mm	480mm
Max Weight	120kg	120kg	120kg	120kg	120kg

	RBLA-S1	RBLA-S2	RBLA-S3	RBLA-S4	RBLA-S5
Height	860mm	860mm	860mm	860mm	860mm
Width	580mm	1100mm	1625mm	2145mm	2665mm
Depth	650mm	650mm	650mm	650mm	650mm
Weight	23kg	29kg	36kg	44kg	53kg
Seat Height	480mm	480mm	480mm	480mm	480mm
Max Weight	120kg	120kg	120kg	120kg	120kg



RBLAS4

	RBL-S1	RBL-S2	RBL-S3	RBL-S4	RBL-S5
Height	860mm	860mm	860mm	860mm	860mm
Width	580mm	1100mm	1625mm	2145mm	2665mm
Depth	650mm	650mm	650mm	650mm	650mm
Weight	21kg	26kg	32kg	39kg	47kg
Seat Height	480mm	480mm	480mm	480mm	480mm
Max Weight	120kg	120kg	120kg	120kg	120kg

# AUDITORIUM RANGE



AUD2TS3

- |  |   |  |  |
|--|---|--|--|
| <b>Seat (TU13)</b>   | <b>Back (TU13)</b>  | <b>Seat (AUD2)</b>   | <b>Back (AUD2)</b>   |
| <ul style="list-style-type: none"> <li>■ Moulded polypropylene</li> <li>■ Available in black, blue or burgandy</li> <li>■ Standard with tip-up action</li> </ul> | <ul style="list-style-type: none"> <li>■ Moulded polypropylene</li> <li>■ Available in black, blue or burgandy</li> </ul> | <ul style="list-style-type: none"> <li>■ Pressed plywood</li> <li>■ VP70 high density foam</li> <li>■ Standard with tip-up action</li> </ul> | <ul style="list-style-type: none"> <li>■ Pressed Plywood</li> <li>■ VP30 med density foam</li> </ul> |



AUD2S5

	AUD2-S1	AUD2-S2	AUD2-S3	AUD2-S4	AUD2-S5
Height	860mm	860mm	860mm	860mm	860mm
Width	580mm	1150mm	1625mm	2145mm	2665mm
Depth	640mm	640mm	640mm	640mm	640mm
Weight	18kg	23kg	29g	36kg	44kg
Seat Height	460mm	460mm	460mm	460mm	460mm
Max Weight	120kg	120kg	120kg	120kg	120kg



TU13

	AUD2A-S1	AUD2A-S2	AUD2A-S3	AUD2A-S4	AUD2A-S5
Height	870mm	870mm	870mm	870mm	870mm
Width	580mm	1150mm	1625mm	2145mm	2665mm
Depth	680mm	680mm	680mm	680mm	680mm
Weight	20kg	26kg	33kg	41kg	50kg
Seat Height	460mm	460mm	460mm	460mm	460mm
Max Weight	120kg	120kg	120kg	120kg	120kg



AUD2AS4

	AUD2-T-S1	AUD2-T-S2	AUD2-T-S3	AUD2-T-S4
Height	870mm	870mm	870mm	870mm
Width	580mm	1150mm	1625mm	2145mm
Depth	680mm	680mm	680mm	680mm
Weight	22kg	29kg	38kg	47kg
Seat Height	460mm	460mm	460mm	460mm
Max Weight	120kg	120kg	120kg	120kg

	TU13-S1	TU13-S2	TU13-S3	TU13-S4	TU13-S5
Height	960mm	960mm	960mm	960mm	960mm
Width	700mm	1105mm	1625mm	2145mm	2665mm
Depth	480mm	480mm	480mm	480mm	480mm
Weight	15kg	18kg	21kg	25kg	30kg
Seat Height	460mm	460mm	460mm	460mm	460mm
Max Weight	120kg	120kg	120kg	120kg	120kg

# BONNY RANGE



BAA



BA RH



BA LH



BCU



BC

## Carcase

- 16mm Chipboard is used right through the entire range

## Foam

- VP30 Med density foam on back rest and seat
- VC64 Chip foam on arm rest, covered with 10mm sheet foam

	B/A/A	B/A	B/C	B/C/U
Height	720mm	720mm	720mm	395mm
Width	720mm	635mm	550mm	760mm
Depth	780mm	780mm	780mm	760mm
Weight	26kg	20.5kg	15.5kg	17kg
Seat Height	350mm	350mm	350mm	
Max Weight	120kg	120kg	120kg	120kg



# BONNY II RANGE



Standard

Base Options



Black Base

Chrome Base

Silver Base

### Carcase

- 16mm Chipboard is used right through the entire range
- Foot Assembly 32 x 32 mm Square tubing

### Foam

- Seat: VP70 High density foam
- Back: VP30 Med density foam
- VC64 Chip foam on arm rest, covered with 10mm sheet foam

	BAAF	BAAFD
Height	800mm	800mm
Width	780mm	1320mm
Depth	780mm	780mm
Weight	31kg	47kg
Seat Height	440mm	440mm



BAAF



BAAFD



BAAF

# BOOKCASES



**Carcase**

- 16mm Melamine
- 1mm PVC Edging
- Cam and Pin Assembly
- 3mm Backing Board

**Shelves**

- 16mm Melamine
- 1mm PVC Edging
- Screw Assembly
- Non-Adjustable

	B/CASE 2	B/CASE 3	B/CASE 4	B/CASE 5
Height	730mm	1076mm	1422mm	1768mm
Width	786mm	786mm	786mm	786mm
Depth	309mm	309mm	309mm	309mm
Weight	16kg	21kg	27kg	32kg

# VERSATILE TABLE



**Top**

- 16mm Melamine
- 1mm PVC Edging
- Size: 450 x 450mm

	VERS (1 TRAY)	VERS (2 TRAY)
Height	710mm	710mm
Width	450mm	450mm
Depth	450mm	450mm
Weight	8kg	9kg

Cherry

# TELEPHONE TABLE



**Top**

- 16mm Melamine
- 1mm PVC Edging
- Size: 600 x 450mm

	TEL
Height	730mm
Width	600mm
Depth	450mm
Weight	9.5kg

Oak

## RECTANGULAR TABLE



White



Cherry



Mahogany

### Top

- 16mm Melamine
- 1mm Flat edging

### Frame

- Top Support: 38x25mm Square Tubing - Cold Rolled Steel with 1.2mm Wall Thickness
- Legs: 25x25mm Square Tubing Cold Rolled Steel with 1.2mm Wall Thickness  
Levelling Adjusters

	1200x600mm	1400x700mm
Height	740mm	740mm
Width	1200mm	1370mm
Depth	600mm	685mm
Weight	17kg	21kg
Box Size	1250x635x80mm	1440x740x80mm

## TRAPEZOIDAL TABLE



Mahogany



White



Cherry

### Top

- 16mm Melamine
- 1mm Flat edging

### Frame

- Top Support: 38x25mm Square Tubing - Cold Rolled Steel with 1.2mm Wall Thickness
- Legs: 25x25mm Square Tubing Cold Rolled Steel with 1.2mm Wall Thickness  
Levelling Adjusters

	1200x600mm	1400x700mm
Height	740mm	740mm
Width	1200mm	1370mm
Depth	520mm	593mm
Weight	13.5kg	15.5kg
Box Size	1280x570x85mm	1460x645x85mm

# STANDARD FOLDING TABLE



Open



Folded

### Frame

- Top Support: 32x32mm Square Tubing - Cold Rolled Steel with 1.2mm Wall Thickness
- Legs: 32x32mm Square Tubing Cold Rolled Steel with 1.2mm Wall Thickness  
Levelling Adjusters

### Top

- 16mm Melamine
- 1mm Flat edging

### 1350 Folding Tables

### 1800 Folding Tables

	1350x450mm	1350x600mm	1800x450mm	1800x600mm
Height	740mm	740mm	740mm	740mm
Width	1350mm	1350mm	1800mm	1800mm
Depth	450mm	600mm	450mm	600mm
Weight	16.5kg	19kg	20.5kg	22.5kg
Box Size	1430x550x140mm	1430x670x140mm	1880x550x140mm	1880x670x140mm

# ROUND FOLDING TABLE



Open



Folded

### Frame

- Top Support: 32x32mm Square Tubing - Cold Rolled Steel with 1.2mm Wall Thickness
- Legs: 32x32mm Square Tubing Cold Rolled Steel with 1.2mm Wall Thickness  
Levelling Adjusters

### Top

- 16mm Melamine
- 1mm Flat edging

	1200DIA	1500DIA	1800DIA
Height	740mm	740mm	740mm
Width	1200mm	1500mm	1800mm
Depth	1200mm	1500mm	1800mm
Weight	28kg	35kg	42kg

## MOBILE FOLDING TABLE



### Frame

- Top Support: 45x35mm Angle Iron, 30x30mm Square Tubing with Spring Loaded Tilt Mechanism
- Legs: 60x30mm Oval Tubing 1.2mm Wall Thickness

### Top

- 16mm Melamine
- 1mm Flat Edging

	1350 Folding Tables		1800 Folding Tables	
	1350x450mm	1350x600mm	1800x450mm	1800x600mm
Height	740mm	740mm	740mm	740mm
Width	1350mm	1350mm	1800mm	1800mm
Depth	450mm	600mm	450mm	600mm
Weight	16kg	18kg	19kg	21kg

## TEACHERS DESK



### Frame

- 32mm Square tubing – Cold rolled steel with 1.6mm wall thickness

### Top

- 16mm Melamine
- 1mm Flat edging

	Teachers Desk 1500		Teachers Desk 1800	
	2 Drawer	3 Drawer	2 Drawer	3 Drawer
Height	750mm	750mm	750mm	750mm
Width	1500mm	1500mm	1800mm	1800mm
Depth	850mm	850mm	850mm	850mm
Weight	46kg	49kg	52kg	56kg

# SCHOOL DESK



### Frame

- 25mm Diameter Round Tubing - Cold Rolled Steel with 1.2mm Wall Thickness
- Powder Coated Light Grey

### Top

- 22mm Saligna or 16mm Supawood
- Pencil Groove – Full Length of Top

### Primary School Desk

	550x450x650mm	1000x450x575mm	1000x450x650mm
Height	650mm	575mm	650mm
Width	700mm	1145mm	1145mm
Depth	450mm	450mm	450mm
Weight	6.5kg	9.5kg	10kg

### Secondary School Desk

	550x450x750mm	750x450x750mm	1200x450x750mm
Height	750mm	750mm	750mm
Width	700mm	905mm	1345mm
Depth	450mm	450mm	450mm
Weight	7kg	10kg	12kg

# COMBINATION DESK



### Frame

- 32mm Diameter Round Tubing - Cold Rolled Steel with 2mm Wall Thickness
- Single tube – No Welded Joints
- Powder Coated Light Grey

### Top

- 22mm Saligna or Supawood
- Pencil Groove – Full Length of Top
- Slats Joined with "Dove Tail" Joints

### Single Desks

	650h	750h	650h	750h
Height	705mm	805mm	705mm	805mm
Width	600mm	600mm	1200mm	1200mm
Depth	900mm	900mm	900mm	900mm
Weight	17.5kg	18kg	26.5kg	27kg
Seat Height	380mm	430mm	380mm	430mm

### Double Desk

## TRADITIONAL SCHOOL CHAIR



Traditional School Stacked



Traditional School

### Frame

- 19mm Diameter Round Tubing - Cold Rolled Steel with 1.6mm Wall Thickness
- Powder Coated Light Grey

### Seat & Back

- Pressed Plywood
- Sealed & Varnished

	325h	375h	450h
Height	580mm	670mm	750mm
Width	365mm	380mm	455mm
Depth	380mm	395mm	520mm
Weight	2.5kg	3kg	3.5kg
Seat Height	305mm	375mm	450mm

## STANDARD SCHOOL CHAIR



Standard School

### Frame

- 19mm Square Tubing Cold Rolled Steel with 1.2mm Wall Thickness
- Powder Coated Light Grey / Black

### Seat & Back

- Pressed Supawood
- Sealed & Varnished

	325h	375h	450h
Height	725mm	775mm	815mm
Width	450mm	450mm	450mm
Depth	540mm	550mm	570mm
Weight	5.4kg	5.5kg	5.8kg
Seat Height	325mm	385mm	435mm

## CHARLIE LAB



Charlie Lab

### Frame

- 25mm Round Tubing Cold Rolled Steel with 1.6mm Wall Thickness
- 10mm Round Bar Support between Legs

### Seat

- Polypropylene 280mm Diameter
- Beige or Black

	B460	B600	B690	B800
Height	460mm	600mm	690mm	800mm
Width	450mm	450mm	450mm	450mm
Depth	450mm	450mm	450mm	450mm
Weight	2.5kg	2.9kg	3.2kg	3.5kg
Seat Height	460mm	600mm	690mm	800mm